

Attorney Docket No. P13972US  
Customer Number 27045

### **AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions and listings of claims in the application.

#### **Listing of Claims**

1. (Original) A method of distributing a message from a source to one or more hosts in a communications network that comprises one or more multicast capable routers, the method comprising:

in a first multicast capable router, generating a first table that identifies sub-branches connected to the first multicast capable router, and for each identified sub-branch, includes membership-related information from which it can be determined how many hosts are part of the sub-branch;

in the first multicast capable router, receiving the message to be distributed and a first value, *N1*, that specifies how many hosts the message is to be distributed to;

in the first multicast capable router, using the first table to identify *N1* hosts and their respective sub-branches; and

in the first multicast capable router, distributing the message to each of the identified sub-branches along with a second value, *N2*, that specifies how many hosts within the sub-branch the message is to be distributed to.

2. (Original) The method of claim 1, wherein:

at least one of the identified sub-branches includes a second multicast capable router; and

the method further comprises:

in each of the second multicast capable routers, generating a second table that identifies sub-branches connected to the second multicast capable router, and for each identified sub-branch, includes membership-related information from which it can be determined how many hosts are part of the sub-branch;

in the second multicast capable router, using the second table to identify *N2* hosts and their respective sub-branches; and

Attorney Docket No. P13972US  
Customer Number 27045

in the second multicast capable router, distributing the message to each of the identified sub-branches along with a third value,  $N3$ , that specifies how many hosts within the sub-branch the message is to be distributed to.

3. (Original) The method of claim 1, wherein:

the first table further includes, for each identified sub-branch, a first metric associated with each of the sub-branch hosts; and

the step of using the first table to identify  $N1$  hosts and their respective sub-branches includes, for each table entry, examining the first metric to determine whether a host satisfies criteria for being selected as one of the  $N1$  hosts.

4. (Currently Amended) The method of claim 3, wherein:

the table further includes at least one additional metric, different from the first metric, associated with each of the sub-branch hosts; and

the step of using the first table to identify  $N1$  hosts and their respective sub-branches further includes, for each table entry, also examining the at least one additional metric to determine whether a host satisfies criteria for being selected as one of the  $N1$  hosts.

5. (Currently Amended) The method of claim 3, wherein ~~each~~ the first metric associated with each sub-branch host indicates a distance between the associated sub-branch host and the second multicast capable router.

6. (Original) The method of claim 5, wherein the step of using the first table to identify  $N1$  hosts and their respective sub-branches comprises using the first table to identify  $N1$  nearest hosts and their respective sub-branches.

7. (Currently Amended) The method of claim 3, wherein ~~each~~ the first metric associated with each sub-branch host indicates a delay between the associated sub-branch host and the second multicast capable router.

Attorney Docket No. P13972US  
Customer Number 27045

8. (Currently Amended) The method of claim 3, wherein each the first metric associated with each sub-branch host indicates a cost associated with communication between the associated sub-branch host and the second multicast capable router.

9. (Currently Amended) The method of claim 3, wherein each the first metric associated with each sub-branch host indicates a bandwidth associated with communication between the associated sub-branch host and the second multicast capable router.

10. (Currently Amended) The method of claim 3, wherein each the first metric associated with each sub-branch host indicates a transmission delay between the associated sub-branch host and the second multicast capable router.

11. (Original) The method of claim 10, further comprising:  
in the first multicast router, determining a transmission delay between the first multicast router and the sub-branch host.

12. (Currently Amended) The method of claim 3, wherein each the first metric associated with each sub-branch host indicates a reliability of communication between the associated sub-branch host and the second multicast capable router.

13. (Original) The method of claim 1, wherein at least one of the identified sub-branches includes a router that does not have multicast capability.

14. (Original) The method of claim 1, wherein the step of generating the first table comprises:

sending a membership query message from the first multicast capable router to each sub-branch connected to the first multicast capable router;

receiving a membership information response from each sub-branch in response to the membership query message, wherein each membership information response

Attorney Docket No. P13972US  
Customer Number 27045

identifies, for the sub-branch, an identification of each multicast capable router in the sub-branch; and

generating the first table from the membership information response received from the sub-branches.

15. (Currently Amended) The method of claim 14, wherein each membership information response further identifies, for the sub-branch, a corresponding first metric for ~~said~~ each host in the sub-branch.

16. (Currently Amended) The method of claim 14, wherein each multicast capable router in each sub-branch responds to receipt of the membership query message by:

determining a delay time; and

sending a membership information response after the delay time has elapsed only if ~~said~~ each multicast capable router in ~~said~~ each sub-branch has not detected a membership information response being sent by a different multicast capable router in ~~said~~ ~~each~~ the sub-branch.

17. (Original) The method of claim 1, wherein the first table is generated periodically.

18. (Original) The method of claim 1, wherein:  
at least one of the identified sub-branches includes a second multicast capable router; and

the method further comprises:

in each of the second multicast capable routers, unicasting the message to one or more hosts within the sub-branch.

19. (Original) The method of claim 18, wherein from each of the second multicast capable routers, the message is unicast to *N*2 hosts within the sub-branch.

Attorney Docket No. P13972US  
Customer Number 27045

20. (Original) The method of claim 1, wherein:  
at least one of the identified sub-branches includes a second multicast capable router; and  
the method further comprises:  
in each of the second multicast capable routers, multicasting the message to all hosts within the sub-branch.

21. (Original) The method of claim 20, further comprising:  
in each of the second multicast capable routers, first determining from the message whether it is permissible to distribute the message to more than  $N/2$  hosts prior to multicasting the message to all hosts within the sub-branch.

22. (Original) The method of claim 21, wherein an indication of whether it is permissible to distribute the message to more than  $N/2$  hosts is included in an optional header extension of the message.

23. (Original) A method of distributing a message from a source to one or more hosts in a communications network that comprises one or more multicast capable routers, the method comprising:

in a first multicast capable router, generating a first table that identifies sub-branches connected to the first multicast capable router, and for each identified sub-branch, includes membership-related information from which it can be determined how many hosts are part of the sub-branch;

in the first multicast capable router, receiving the message to be distributed and a first value,  $N1$ , that specifies a percentage of all multicast group members that the message is to be distributed to;

in the first multicast capable router, using the first table to identify a set of hosts that constitute  $N1$  percent of all multicast group member hosts and their respective sub-branches; and

Attorney Docket No. P13972US  
Customer Number 27045

in the first multicast capable router, distributing the message to each of the identified sub-branches along with a second value,  $N2$ , that specifies how many hosts within the sub-branch the message is to be distributed to.

24. (Currently Amended) A method of determining how many hosts are members of a sub-branch that is connected to a local router in a digital communications network, the method comprising:

sending a membership query message from the router to the sub-branch; and  
receiving a membership information response from the sub-branch in response to the membership query message, wherein the membership information response identifies, for the sub-branch, an identification of each multicast capable router in the sub-branch and a value representing the number of hosts connected to said each multicast capable router;

wherein each multicast capable router in the sub-branch responds to receipt of the membership query message by determining a delay time, and sending a membership information response after the delay time has elapsed only if each multicast capable router in the sub-branch has not detected a membership information response being sent by a different multicast capable router in the sub-branch.

25. (Canceled)

26. (Currently Amended) The method of claim 24, wherein the membership information further identifies, for the sub-branch, a corresponding first metric for each said host connected to said each multicast capable router in the sub-branch.

27. (Original) The method of claim 26, wherein the first metric indicates a distance between the host and the multicast capable router.

28. (Currently Amended) The method of claim 24, wherein each the sub-branch recursively generates a membership information response by propagating a membership query message downstream to each of the multicast capable routers within

Attorney Docket No. P13972US  
Customer Number 27045

the sub-branch, and updating a membership information response as it is returned upstream from one multicast capable router to the next.

29. (Currently Amended) The method of claim 24, further comprising generating the value representing the number of hosts connected to ~~said~~ each multicast capable router by:

multicasting membership information from each member in the sub-branch to ~~the~~ local router of the sub-branch and to all other hosts connected to ~~local~~ the network.

30. (Currently Amended) The method of claim 24, further comprising generating the value representing the number of hosts connected to ~~said~~ each multicast capable router by:

unicasting membership information from each member in the sub-branch to ~~the~~ local router of the sub-branch; and

generating the membership information response in the local router, based on membership information received from ~~said~~ each member in the sub-branch.

31. (Original) An apparatus for distributing a message from a source to one or more hosts in a communications network that comprises one or more multicast capable routers, the apparatus comprising:

in a first multicast capable router, logic that generates a first table that identifies sub-branches connected to the first multicast capable router, and for each identified sub-branch, includes membership-related information from which it can be determined how many hosts are part of the sub-branch;

in the first multicast capable router, logic that receives the message to be distributed and a first value, *N1*, that specifies how many hosts the message is to be distributed to;

in the first multicast capable router, logic that uses the first table to identify *N1* hosts and their respective sub-branches; and

Attorney Docket No. P13972US  
Customer Number 27045

in the first multicast capable router, logic that distributes the message to each of the identified sub-branches along with a second value,  $N2$ , that specifies how many hosts within the sub-branch the message is to be distributed to.

32. (Original) The apparatus of claim 31, wherein:

at least one of the identified sub-branches includes a second multicast capable router; and

the apparatus further comprises:

in each of the second multicast capable routers, logic that generates a second table that identifies sub-branches connected to the second multicast capable router, and for each identified sub-branch, includes membership-related information from which it can be determined how many hosts are part of the sub-branch;

in the second multicast capable router, logic that uses the second table to identify  $N2$  hosts and their respective sub-branches; and

in the second multicast capable router, logic that distributes the message to each of the identified sub-branches along with a third value,  $N3$ , that specifies how many hosts within the sub-branch the message is to be distributed to.

33. (Original) The apparatus of claim 31, wherein:

the first table further includes, for each identified sub-branch, a first metric associated with each of the sub-branch hosts; and

the logic that uses the first table to identify  $N1$  hosts and their respective sub-branches includes logic that examines, for each table entry, the first metric to determine whether a host satisfies criteria for being selected as one of the  $N1$  hosts.

34. (Currently Amended) The apparatus of claim 33, wherein:

the table further includes at least one additional metric, different from the first metric, associated with each of the sub-branch hosts; and

the logic that uses the first table to identify  $N1$  hosts and their respective sub-branches includes, logic that examines, for each table entry, the first metric and the at



Attorney Docket No. P13972US  
Customer Number 27046

least one additional metric to determine whether a host satisfies criteria for being selected as one of the *N1* hosts.

35. (Currently Amended) The apparatus of claim 33, wherein ~~each~~ the first metric associated with each sub-branch host indicates a distance between the associated sub-branch host and the second multicast capable router.

36. (Original) The apparatus of claim 35, wherein the logic that uses the first table to identify *N1* hosts and their respective sub-branches comprises logic that uses the first table to identify *N1* nearest hosts and their respective sub-branches.

37. (Currently Amended) The apparatus of claim 33, wherein ~~each~~ the first metric associated with each sub-branch host indicates a delay between the associated sub-branch host and the second multicast capable router.

38. (Currently Amended) The apparatus of claim 33, wherein ~~each~~ the first metric associated with each sub-branch host indicates a cost associated with communication between the associated sub-branch host and the second multicast capable router.

39. (Currently Amended) The apparatus of claim 33, wherein ~~each~~ the first metric associated with each sub-branch host indicates a bandwidth associated with communication between the associated sub-branch host and the second multicast capable router.

40. (Currently Amended) The apparatus of claim 33, wherein ~~each~~ the first metric associated with each sub-branch host indicates a transmission delay between the associated sub-branch host and the second multicast capable router.

Attorney Docket No. P13972US  
Customer Number 27045

41. (Original) The apparatus of claim 40, further comprising:  
in the first multicast router, logic that determines a transmission delay between the first multicast router and the sub-branch host.

42. (Currently Amended) The apparatus of claim 33, wherein each the first metric associated with each sub-branch host indicates a reliability of communication between the sub-branch host and the second multicast capable router.

43. (Original) The apparatus of claim 31, wherein at least one of the identified sub-branches includes a router that does not have multicast capability.

44. (Original) The apparatus of claim 31, wherein the logic that generates the first table comprises:

logic that sends a membership query message from the first multicast capable router to each sub-branch connected to the first multicast capable router;

logic that receives a membership information response from each sub-branch in response to the membership query message, wherein each membership information response identifies, for the sub-branch, an identification of each multicast capable router in the sub-branch; and

logic that generates the first table from the membership information response received from the sub-branches.

45. (Currently Amended) The apparatus of claim 44, wherein each membership information response further identifies, for the sub-branch, a corresponding first metric for said each host in the sub-branch.

46. (Currently Amended) The apparatus of claim 44, wherein each multicast capable router in each sub-branch includes logic that responds to receipt of the membership query message, said logic comprising:

logic that determines a delay time; and

Attorney Docket No. P13972US  
Customer Number 27045

logic that sends a membership information response after the delay time has elapsed only if ~~said each~~ each multicast capable router in ~~said each~~ the sub-branch has not detected a membership information response being sent by a different multicast capable router in ~~said each~~ the sub-branch.

47. (Original) The apparatus of claim 31, wherein the first table is generated periodically.

48. (Original) The apparatus of claim 31, wherein:  
at least one of the identified sub-branches includes a second multicast capable router; and  
the apparatus further comprises:  
in each of the second multicast capable routers, logic that unicasts the message to one or more hosts within the sub-branch.

49. (Original) The apparatus of claim 48, wherein from each of the second multicast capable routers, the message is unicast to  $N/2$  hosts within the sub-branch.

50. (Original) The apparatus of claim 31, wherein:  
at least one of the identified sub-branches includes a second multicast capable router; and  
the apparatus further comprises:  
in each of the second multicast capable routers, logic that multicasts the message to all hosts within the sub-branch.

51. (Original) The apparatus of claim 50, further comprising:  
in each of the second multicast capable routers, logic that first determines from the message whether it is permissible to distribute the message to more than  $N/2$  hosts prior to multicasting the message to all hosts within the sub-branch.

Attorney Docket No. P13972US  
Customer Number 27045

52. (Original) The apparatus of claim 51, wherein an indication of whether it is permissible to distribute the message to more than  $N/2$  hosts is included in an optional header extension of the message.

53. (Original) An apparatus for distributing a message from a source to one or more hosts in a communications network that comprises one or more multicast capable routers, the apparatus comprising:

in a first multicast capable router, logic that generates a first table that identifies sub-branches connected to the first multicast capable router, and for each identified sub-branch, includes membership-related information from which it can be determined how many hosts are part of the sub-branch;

in the first multicast capable router, logic that receives the message to be distributed and a first value,  $N/1$ , that specifies a percentage of all multicast group members that the message is to be distributed to;

in the first multicast capable router, logic that uses the first table to identify a set of hosts that constitute  $N/1$  percent of all multicast group member hosts and their respective sub-branches; and

in the first multicast capable router, logic that distributes the message to each of the identified sub-branches along with a second value,  $N/2$ , that specifies how many hosts within the sub-branch the message is to be distributed to.

54. (Currently Amended) An apparatus for determining how many hosts are members of a sub-branch that is connected to a local router in a digital communications network, the apparatus comprising:

logic that sends a membership query message from the local router to the sub-branch; and

logic that receives a membership information response from the sub-branch in response to the membership query message, wherein the membership information response identifies, for the sub-branch, an identification of each multicast capable router in the sub-branch and a value representing the number of hosts connected to said each multicast capable router;

Amendment - PAGE 13 of 16  
EUS/J/P/05-9018

Attorney Docket No. P13972US  
Customer Number 27045

wherein each multicast capable router in the sub-branch includes logic that responds to receipt of the membership query message, said logic comprising:

logic that determines a delay time; and

logic that sends a membership information response after the delay time has elapsed only if each multicast capable router in the sub-branch has not detected a membership information response being sent by a different multicast capable router in the sub-branch.

55. (Canceled)

56. (Currently Amended) The apparatus of claim 54, wherein the membership information further identifies, for the sub-branch, a corresponding first metric for each said host connected to said each multicast capable router in the sub-branch.

57. (Currently Amended) The apparatus of claim 56, wherein the first metric indicates a distance between the corresponding host and the multicast capable router.

58. (Currently Amended) The apparatus of claim 54, wherein each the sub-branch includes logic that recursively generates a membership information response by propagating a membership query message downstream to each of the multicast capable routers within the sub-branch, and updates a membership information response as it is returned upstream from one multicast capable router to the next.

59. (Currently Amended) The apparatus of claim 54, further comprising logic that generates the value representing the number of hosts connected to said each multicast capable router by:

multicasting membership information from each member in the sub-branch to [[a]] the local router of the sub-branch and to all other hosts connected to local the network.

Attorney Docket No. P13972US  
Customer Number 27045

60. (Currently Amended) The apparatus of claim 54, further comprising generating the value representing the number of hosts connected to ~~said~~ each multicast capable router by:

unicasting membership information from each member in the sub-branch to [[a]] the local router of the sub-branch; and

generating the membership information response in the local router, based on membership information received from ~~said~~ each member in the sub-branch.